

FREE

MATERIAL LIST FOR THE VERMONT, SHED PLAN # 2412, 14X12 SIZE

<http://www.designer-shed-plans.com/2410-Vermont-Shed-Plans..htm>

Click on or cut and paste the above ULR into your browser to get more information on windows, doors and floor load ratings etc., or material lists for other size Vermont Shed plans.

Shown below with the double doors in the front is a 16X12 Vermont Shed plan.



AVAILABLE IN THIS SERIES

| PLAN # | SIZE |
|--------|-------|
| 2410 | 10X12 |
| 2411 | 12X12 |
| 2412 | 14X12 |
| 2413 | 16X12 |

PLANS FOR THIS SHED
ALLOW YOU TO BUILD ON A
CONCRETE SLAB. SEE OUR
FREE ON LINE
ILLUSTRATED
CONSTRUCTION GUIDE
FOR MORE DETAILS

NOTE: THE FIRST NUMBER STATED IN THE SIZE COLUMN IS ALWAYS THE FRONT. SEE OUR WEB SITE FOR MORE DETAILS.

Discover what we will help you build.



just sheds inc.
www.just-sheds.com

FOR MORE DETAILS SEE THE GLOSSARY OF CONSTRUCTION TERMS IN OUR [FREE CONSTRUCTION GUIDE](#)

| NO | QUAN | SIZE | DESCRIPTION AND USE | NOTES | COST |
|----|--------|-----------------|---|-------|------|
| 1 | 168 | Sq. Ft. | 6X6 Wire mesh (168 sq. ft. of coverage, which excludes overlaps) | | |
| 2 | 11 | 1/2" | Steel anchor bolts | | |
| 3 | 10 | 2"X 4"X16' | When cut will give 1 bottom and 2 top plates for all walls plus misc. needs | 1,3 | |
| 4 | 34 | 2"X 4"X 92 1/2" | Precut wall studs for the first floor | 3,5 | |
| 5 | 12 | 4'X 8'X 7/16" | Exterior Aspenite wall sheeting | | |
| 6 | 11 | 2"X 8"X 12' | Attic floor joist as shown on the plans | 1,3 | |
| 7 | 6 | 2"X 8" | Single joist hangers | | |
| 8 | 4 | 4'X 8' X 5/8" | Tongue and groove plywood | | |
| 9 | 15 | 2"X 4"X 12' | Gable ends and misc. framing | 1,3,5 | |
| 10 | 24 | 2"X 4"X 10' | Roof rafters (cut one top and one bottom rafter out of one 10' piece) | 1,3,5 | |
| 11 | 2 | 4'X8'X 3/4" | Fir plywood (cut out gussets as shown on page 6) | | |
| 12 | 8 | 2"X 5"X 10' | Front, back, left and right wall fascia boards | 1,3, | |
| 13 | 2 | 2"X 6" X 12' | Lintels over window and door | 13 | |
| 14 | 2 | 2" X 4" X 10' | Blocking to support 5/8" plywood near the rafters | 1 | |
| 15 | 10 | 4'X 8'X 3/8" | Spruce plywood roof sheeting | | |
| 16 | 60 | 3/8" | H clips, or use scrap wood to support roof sheeting's edges | | |
| 17 | 315 | Sq. ft. | Asphalt roof shingles (includes starter strip and ridge caps) | | |
| 18 | 30 | Liner ft. | Metal flashing (install at each hip, to accommodate the bend) | | |
| 19 | 1 | 8"X 9" | Roof vent with screen | 6 | |
| 20 | 1 | | Andersen window SE585 | 6 | |
| 21 | 1 | | Therma-tru door # CS210 Double door (outswing is another option) | 6 | |
| 22 | 2 | | Locking door knob, check with door supplier regarding size, set back etc. | 6 | |
| 23 | 12 | 4'X8'X 7/16" | Aspenite sheeting, for interior walls | | |
| 24 | 13 | 4'X8'X 7/16" | Optional aspenite sheeting, for interior attic ceilings and walls | | |
| 25 | 18 lbs | 3 1/4" | Ardox or spiral framing nails | 5 | |
| 26 | 24 lbs | 2" | Ardox or spiral framing nails | | |

| | | | | | |
|---------------|--------|-------------|---|--|--|
| 27 | 15 lbs | 1 1/4" | Roofing nails, use for shingles, asphalt paper, vinyl siding and trim | | |
| 28 | 520 | Sq. ft. | # 15 asphalt paper | | |
| 29 | 52 | Linear ft. | Vinyl siding starter strip | | |
| 30 | 4 | ¾"X 3"X 10' | Vinyl siding outside corner post | | |
| 31 | 158 | Linear ft. | J channel | | |
| 32 | 510 | Sq. Ft. | Vertical Vinyl Siding | | |
| 33 | 40 | Sq. ft. | Vented soffit | | |
| 34 | 78 | Liner Feet | Vinyl Fascia | | |
| 35 | 78 | Liner Feet | Under sill trim | | |
| 36 | 12 | Liner Feet | Door Cap vinyl trim | | |
| 37 | 1 | | Weather vane and misc. caulking and door paint to suit | | |
| 38 | | | | | |
| 39 | | | | | |
| 40 | | | | | |
| TOTALS | | | | | |

Pride will result when adding labor to the above.

NOTE: PLEASE READ ALL NOTES AND SPECIFICATIONS BEFORE ORDERING ANY MATERIALS OR BUILDING

- 1 When cut in two or to the required size one piece will yield the needed amount.
- 2 Cedar or pressure treated wood is recommended. Use cut end treatment if treated wood is used.
- 3 Grade numbers 1 and 2 spruce is the specified lumber for this project.
- 4 2"X 5" lumber is recommended because it suits the 6" vinyl fascia best.
- 5 Consider ordering a few more of these items or others as it is common to use more because of working style, waste or mistakes.
- 6 Always confirm the size of the unit and the rough stud opening (R.S.O.) from the supplier before ordering or building.
- 7 Delete these items and 18 sq. ft. from no. 35 if you choose to build your shed on a concrete pad.
- 8 Not knowing your site or soil conditions prevents us from estimating any of your concrete needs.
- 9 It is the owner's responsibility to apply for all required permits and to build with the necessary skill and in accordance with all required standards.



Visit our family of web sites to get your free catalog with over one hundred shed plans.



www.just-sheds.com

| |
|----------------------|
| MATERIAL LIST |
| SIZE |
| 14'X12' |
| PLAN |
| 2412 |